

AMENDMENTS TO THE CLAIMS

- A1
1. (Original): A method for viewing images via an information handling system utilizing a graphical user interface having a desktop, the method comprising:
displaying a plurality of images;
arranging said plurality of images into a picture stack comprising a top and bottom;
and
placing said picture stack directly on the desktop of the graphical user interface,
wherein said top image of said picture stack is displayed.
 2. (Original): The method of claim 1, wherein said plurality of images are photographic images.
 3. (Original): The method of claim 1, wherein said placing comprises offsetting said plurality of images from one another.
 4. (Original): The method of claim 1, wherein said plurality of images are substantially the same size as one another.
 5. (Original): The method of claim 1, further comprising: receiving a mousedown event within the picture stack; and responding to said mousedown event.
 6. (Original): The method of claim 5, wherein a second image is positioned behind said top image; and wherein said responding comprises: moving said top image to said bottom of said picture stack; and moving said second image to said top of said picture stack.
 7. (Original): The method of claim 1, wherein audio data is associated with said top image, further comprising playing said audio data when said top image is displayed.

8. (Original): The method of claim 1, further comprising displaying on the desktop at least one control separate from said picture stack.

9. (Original): The method of claim 8, wherein said displaying comprises displaying a toolbar.

10. (Original): The method of claim 8, further comprising receiving the selection of a control on is said toolbar.

11. (Original): The method of claim 1, wherein at least one of said plurality of images comprises a border.

12. (Original): A method for viewing images via an information handling system utilizing a graphical user interface having a desktop, the method comprising:
displaying a plurality of images;
arranging said plurality of images into a picture stack comprising a top and bottom, at least one of said images comprising a border, wherein a second image is positioned behind said top image; and
placing said picture stack directly on the desktop of the graphical user interface, wherein said top image of said picture stack is displayed; receiving a mousedown event within the picture stack; moving said top image to said bottom of said picture stack; and moving said second image to said top of said picture stack.

13. (Original): A computer program product for use with an information handling system utilizing a graphical user interface having a desktop, the computer program product comprising:
instructions for displaying a plurality of images;
instructions for arranging said plurality of images into a picture stack comprising a top and bottom; and
instructions for placing said picture stack directly on the desktop of the graphical user interface, wherein said top image of said picture stack is displayed.

14. (Original): The computer program product of claim 13, further comprising: instructions for receiving a mousedown event within the picture stack; and instructions for responding to said mousedown event.

A1
15. (Original): The computer program product of claim 14, wherein a second image is positioned behind said top image; and wherein said instructions for responding comprise:

instructions for moving said top image to said bottom of said picture stack; and instructions for moving said second image to said top of said picture stack.

16. (Original): The computer program product of claim 13, wherein audio data is associated with said top image, further comprising instructions for playing said audio data when said top image is displayed.

17. (Original): The computer program product of claim 13, further comprising instructions for displaying on the desktop at least one control separate from said picture stack.

18. (Original): The computer program product of claim 17, further comprising instructions for is receiving the selection of at least one said control.

A2 ✓
19. (New): An information handling system comprising:
a data storage unit capable of storing pictorial images as image files;
an interface connectable to a digital camera for acquiring photographic pictorial
images; and
a controller coupled to the data storage unit and the interface, and connectable to a
display device, the controller being programmed with a set of instructions that
controls a graphical user interface for receiving commands, orders a plurality
of pictorial images in a stack from top to bottom according to the received
commands, and displays the stack on the display device in a three-dimensional
representation whereby underlying pictorial images on the stack are at least
partly obscured by overlying pictorial images.

A2 ✓
20. (New): The information handling system according to Claim 19 further comprising:

a set of instructions executable on the controller that acquires a photographic pictorial image and associated audio data from a digital camera with audio capability connected to the information handling system, and automatically plays the associated audio data when the photographic pictorial image is displayed.